

# Toxicological Profile for Perfluoroalkyls

**Released May 2021** 

**Last Updated March 2020** 



PERFLUOROALKYLS

## **DISCLAIMER**

Use of trade names is for identification only and does not imply endorsement by the Agency for Toxic Substances and Disease Registry, the Public Health Service, or the U.S. Department of Health and Human Services.

PERFLUOROALKYLS ii

#### **FOREWORD**

This toxicological profile is prepared in accordance with guidelines\* developed by the Agency for Toxic Substances and Disease Registry (ATSDR) and the Environmental Protection Agency (EPA). The original guidelines were published in the *Federal Register* on April 17, 1987. Each profile will be revised and republished as necessary.

The ATSDR toxicological profile succinctly characterizes the toxicologic and adverse health effects information for these toxic substances described therein. Each peer-reviewed profile identifies and reviews the key literature that describes a substance's toxicologic properties. Other pertinent literature is also presented, but is described in less detail than the key studies. The profile is not intended to be an exhaustive document; however, more comprehensive sources of specialty information are referenced.

The focus of the profiles is on health and toxicologic information; therefore, each toxicological profile begins with a relevance to public health discussion which would allow a public health professional to make a real-time determination of whether the presence of a particular substance in the environment poses a potential threat to human health. The adequacy of information to determine a substance's health effects is described in a health effects summary. Data needs that are of significance to the protection of public health are identified by ATSDR.

Each profile includes the following:

- (A) The examination, summary, and interpretation of available toxicologic information and epidemiologic evaluations on a toxic substance to ascertain the levels of significant human exposure for the substance due to associated acute, intermediate, and chronic exposures;
- (B) A determination of whether adequate information on the health effects of each substance is available or in the process of development to determine levels of exposure that present a significant risk to human health of acute, intermediate, and chronic health effects; and
- (C) Where appropriate, identification of toxicologic testing needed to identify the types or levels of exposure that may present significant risk of adverse health effects in humans.

The principal audiences for the toxicological profiles are health professionals at the Federal, State, and local levels; interested private sector organizations and groups; and members of the public.

This profile reflects ATSDR's assessment of all relevant toxicologic testing and information that has been peer-reviewed through September 2018. New studies were added in 2019 following public comment, and NHANES data were updated. Staff from the Centers for Disease Control and Prevention and other Federal scientists have also reviewed the profile. In addition, this profile has been peer-reviewed by a nongovernmental panel and was made available for public review. Final responsibility for the contents and views expressed in this toxicological profile resides with ATSDR.

Patrick N. Breysse, Ph.D., CIH

RhelevBnagse

Director, National Center for Environmental Health and Agency for Toxic Substances and Disease Registry Centers for Disease Control and Prevention PERFLUOROALKYLS in

## \*Legislative Background

The toxicological profiles are developed under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended (CERCLA or Superfund). CERCLA section 104(i)(1) directs the Administrator of ATSDR to "...effectuate and implement the health related authorities" of the statute. This includes the preparation of toxicological profiles for hazardous substances most commonly found at facilities on the CERCLA National Priorities List (NPL) and that pose the most significant potential threat to human health, as determined by ATSDR and the EPA. Section 104(i)(3) of CERCLA, as amended, directs the Administrator of ATSDR to prepare a toxicological profile for each substance on the list. In addition, ATSDR has the authority to prepare toxicological profiles for substances not found at sites on the NPL, in an effort to "...establish and maintain inventory of literature, research, and studies on the health effects of toxic substances" under CERCLA Section 104(i)(1)(B), to respond to requests for consultation under section 104(i)(4), and as otherwise necessary to support the site-specific response actions conducted by ATSDR.

PERFLUOROALKYLS

# **VERSION HISTORY**

Date	Description
May 2021	Final toxicological profile released
March 2020	Toxicological profile last updated
June 2018	Draft for public comment toxicological profile released
August 2015	Draft for public comment toxicological profile released
May 2009	Draft for public comment toxicological profile released

PERFLUOROALKYLS v

## **CONTRIBUTORS & REVIEWERS**

#### CHEMICAL MANAGER TEAM

Melanie Buser, M.P.H. (Lead) Dennis Jones, DVM, Ph.D. Hana R. Pohl, M.D., Ph.D. Patricia Ruiz, Ph.D. Franco Scinicariello, M.D., M.P.H. Selene Chou, Ph.D. Henry Abadin, M.S.P.H.

ATSDR, Division of Toxicology and Human Health Sciences, Atlanta, GA

Lisa Ingerman, Ph.D., DABT Lynn Barber, M.S. Heather Carlson-Lynch, M.S., DABT Mario Citra, Ph.D. Gary L. Diamond, Ph.D. Julie Klotzbach, Ph.D. Fernando T. Llados, Ph.D. Daniel J. Plewak, B.S. SRC, Inc., North Syracuse, NY

#### REVIEWERS

## **Interagency Minimal Risk Level Workgroup:**

Includes ATSDR; National Center for Environmental Health (NCEH); National Institute of Occupational Health and Safety (NIOSH); U.S. Environmental Protection Agency (EPA); National Toxicology Program (NTP).

### Additional reviews for science and/or policy:

ATSDR, Division of Community Health Investigations; EPA; NCEH, Division of Laboratory Science.

#### PEER REVIEWERS

- 1. Abby Benninghoff, Ph.D., Faculty Research Associate, Department of Environmental and Molecular Toxicology, Oregon State University, Corvallis, Oregon
- 2. Deborah A. Cory-Slechta, Ph.D., Professor of Environmental Medicine, Pediatrics and Public Health Sciences, Acting Chair, Department of Environmental Medicine, PI, NIEHS Center of Excellence, Department of Environmental Medicine, University of Rochester Medical Center, Rochester, New York
- 3. Jamie DeWitt, Ph.D., Associate Professor, Department of Pharmacology & Toxicology, Brody School of Medicine, East Carolina University, Greenville, North Carolina
- 4. Edward Emmett, M.D., Professor, Center of Excellence in Environmental Toxicology, University of Pennsylvania, Philadelphia, Pennsylvania
- 5. Lynn R. Goldman, M.D. M.P.H., Professor of Environmental Health Science, John Hopkins University, Baltimore, Maryland
- 6. William L. Hayton, Ph.D., Professor Emeritus, College of Pharmacy, Ohio State University, Columbus, Ohio
- 7. David A. Savitz, Ph.D., Professor of Epidemiology, Professor of Obstetrics and Gynecology, Brown University, Providence, Rhode Island

PERFLUOROALKYLS vii

These experts collectively have knowledge of toxicology, chemistry, and/or health effects. All reviewers were selected in conformity with Section 104(I)(13) of the Comprehensive Environmental Response, Compensation, and Liability Act, as amended.

ATSDR scientists review peer reviewers' comments and determine whether changes will be made to the profile based on comments. The peer reviewers' comments and responses to these comments are part of the administrative record for this compound.

The listing of peer reviewers should not be understood to imply their approval of the profile's final content. The responsibility for the content of this profile lies with ATSDR.

# **CONTENTS**

DISCLAII	MER	ii
	RD	
	HISTORY	
CONTRIE	UTORS & REVIEWERS	vi
CONTEN'	TS	viii
LIST OF I	FIGURES	xi
LIST OF T	TABLES	xiv
CHAPTEI	R 1. RELEVANCE TO PUBLIC HEALTH	1
1.1 C	VERVIEW AND U.S. EXPOSURES	1
1.2 S	UMMARY OF HEALTH EFFECTS	4
1.3 N	IINIMAL RISK LEVELS (MRLs)	15
CIIA DTEI	R 2. HEALTH EFFECTS	22
	NTRODUCTION	
	EATH	
	ODY WEIGHT	
	ESPIRATORY	
	ARDIOVASCULAR	
	SASTROINTESTINAL	
	EMATOLOGICAL	
	MUSCULOSKELETAL	
	EPATIC	
	ENAL	
	DERMAL	
	CULAR	
	NDOCRINEMMUNOLOGICAL	
	EUROLOGICAL	
	EPRODUCTIVE	
	EVELOPMENTAL	
	OTHER NONCANCER	
	ANCER	
	MECHANISM OF TOXICITY	
2.20.1		
	Hepatic Toxicity Mechanisms	
2.20.3	1	
2.20.4		
2.20.5		
2.20.6		
2.21 C	ENOTOXICITY	554
СНАРТЕІ	R 3. TOXICOKINETICS, SUSCEPTIBLE POPULATIONS, BIOMARKERS, CH	HEMICAL
	TIONS	
	OXICOKINETICS	
3.1.1	Absorption	
3.1.2	Distribution	
3.1.3	Metabolism	
3 1 /	Everetion	579

3.1.5 Physiologically Based Pharmacokinetic (PBPK)/Pharmacodynamic (PD) Models	
3.1.5.1 Loccisano et al. (2012a, 2012b) Rat Models	
3.1.5.2 Loccisano et al. (2011, 2013) Monkey and Human Models	
3.1.5.3 Rodriguez et al. (2009) Mouse Model	
3.1.5.4. Wambaugh et al. 2013 (Andersen et al. 2006) Model	
3.1.5.5 Harris and Barton (2008) Rat Model	
3.1.5.6 Worley and Fisher (2015a, 2015b) Rat Model	.622
3.1.5.7 Worley et al. (2017b) Human Model	
3.1.5.8 Fàbrega et al. (2014, 2016) Human Model	. 624
3.1.5.9 Kim et al. (2018) Rat and Human Model	. 625
3.1.6 Animal-to-Human Extrapolations	
3.2 CHILDREN AND OTHER POPULATIONS THAT ARE UNUSUALLY SUSCEPTIBLE	.629
3.3 BIOMARKERS OF EXPOSURE AND EFFECT	.632
3.3.1 Biomarkers of Exposure	.633
3.3.2 Biomarkers of Effect	
3.4 INTERACTIONS WITH OTHER CHEMICALS	.634
CHAPTER 4. CHEMICAL AND PHYSICAL INFORMATION	
4.1 CHEMICAL IDENTITY	
4.2 PHYSICAL AND CHEMICAL PROPERTIES	.635
CHAPTER 5. POTENTIAL FOR HUMAN EXPOSURE	.647
5.1 OVERVIEW	. 647
5.2 PRODUCTION, IMPORT/EXPORT, USE, AND DISPOSAL	.651
5.2.1 Production	.651
5.2.2 Import/Export	.659
5.2.3 Use	.660
5.2.4 Disposal	.660
5.3 RELEASES TO THE ENVIRONMENT	.661
5.3.1 Air	.665
5.3.2 Water	.666
5.3.3 Soil	.668
5.4 ENVIRONMENTAL FATE	.669
5.4.1 Transport and Partitioning	.669
5.4.2 Transformation and Degradation	
5.5 LEVELS IN THE ENVIRONMENT	
5.5.1 Air	
5.5.2 Water	
5.5.3 Sediment and Soil	
5.5.4 Other Media	.703
5.6 GENERAL POPULATION EXPOSURE	
5.7 POPULATIONS WITH POTENTIALLY HIGH EXPOSURES	
CHAPTER 6. ADEQUACY OF THE DATABASE	.743
6.1 Existing Information on Health Effects	
6.2 Identification of Data Needs	
6.3 Ongoing Studies	
CHAPTER 7. REGULATIONS AND GUIDELINES	.758
CHAPTER 8. REFERENCES	.762

PERFLUOROALKYLS x

APPENDICES	
APPENDIX A. ATSDR MINIMAL RISK LEVEL WORKSHEETS	A-1
APPENDIX B. LITERATURE SEARCH FRAMEWORK FOR PER	RFLUOROALKYLS B-1
APPENDIX C. USER'S GUIDE	
APPENDIX D. QUICK REFERENCE FOR HEALTH CARE PROV	VIDERSD-1
APPENDIX E. GLOSSARY	
APPENDIX F. ACRONYMS, ABBREVIATIONS, AND SYMBOL	_SF-1

PERFLUOROALKYLS x

# **LIST OF FIGURES**

1-1. Health Effects Found in Animals Following Oral Exposure to PFOA	8
1-2. Health Effects Found in Animals Following Oral Exposure to PFOS	9
1-3. Health Effects Found in Animals Following Oral Exposure to Other Perfluoroalkyls	10
1-4. Summary of Sensitive Targets of PFOA – Oral	18
1-5. Summary of Sensitive Targets of PFOS – Oral	19
2-1. Health Effect Endpoints Examined in Epidemiological Studies	28
2-2. Health Effect Endpoints Examined in Laboratory Animal Studies	29
2-3. Overview of the Number of Studies Examining PFOA Health Effects	30
2-4. Overview of the Number of Studies Examining PFOS Health Effects	31
2-5. Overview of the Number of Studies Examining Other Perfluoroalkyls Health Effects	32
2-6. Levels of Significant Exposure to PFOA – Inhalation	35
2-7. Levels of Significant Exposure to Other Perfluoroalkyls – Inhalation	37
2-8. Levels of Significant Exposure to PFOA – Oral	62
2-9. Levels of Significant Exposure to PFOS – Oral	84
2-10. Levels of Significant Exposure to Other Perfluoroalkyls – Oral	108
2-11. Serum Total Cholesterol Levels Relative to Serum PFOA Levels	213
2-12. Risk of Abnormal Cholesterol Levels Relative to PFOA Levels (Presented as Adjusted Ratios)	214
2-13. Serum LDL Cholesterol Levels Relative to Serum PFOA Levels	215
2-14. Risk of Abnormal LDL Cholesterol Levels Relative to PFOA Levels (Presented as Adjusted Ratios)	216
2-15. Serum Total Cholesterol Levels Relative to Serum PFOS Levels	229
2-16. Risk of Abnormal Cholesterol Levels Relative to PFOS Levels (Presented as Adjusted Ratios)	230
2-17. Serum LDL Cholesterol Levels Relative to Serum PFOS Levels	231
2-18. Risk of Abnormal LDL Cholesterol Levels Relative to PFOS Levels (Presented as Adjusted Ratios)	232

PERFLUOROALKYLS xii

2-19.	Risk of Hyperuricemia Relative to PFOA Levels (Presented as Adjusted Odds Ratios)	254
2-20.	Risk of Hyperuricemia Relative to PFOS Levels (Presented as Adjusted Odds Ratios)	257
2-21.	Antibody Responses Relative to Serum PFOA Levels in Epidemiological Studies	326
2-22.	Risk of Asthma Diagnosis Relative to PFOA Levels (Presented as Adjusted Odds Ratios)	328
2-23.	Antibody Responses Relative to Serum PFOS Levels in Epidemiological Studies	334
2-24.	Risk of Asthma Diagnosis Relative to PFOS Levels (Presented as Adjusted Odds Ratios)	336
2-25.	Antibody Responses Relative to Serum PFHxS Levels in Epidemiological Studies	339
2-26.	Risk of Asthma Diagnosis Relative to PFHxS Levels (Presented as Adjusted Odds Ratios)	341
2-27.	Antibody Responses Relative to Serum PFNA Levels in Epidemiological Studies	343
2-28.	Risk of Asthma Diagnosis Relative to PFNA Levels (Presented as Adjusted Odds Ratios)	345
2-29.	Antibody Responses Relative to Serum PFDA Levels in Epidemiological Studies	347
2-30.	Risk of Asthma Diagnosis Relative to PFDA Levels (Presented as Adjusted Odds Ratios)	349
2-31.	Fecundability Relative to PFOA Levels (Presented as Adjusted Fecundability Ratios)	393
2-32.	Infertility Relative to PFOA Levels (Presented as Adjusted Odds Ratios)	394
2-33.	Fecundability Relative to PFOS Levels (Presented as Adjusted Fecundability Ratios)	401
2-34.	Infertility Relative to PFOS Levels (Presented as Adjusted Odds Ratios)	402
2-35.	Risk of Low Birth Weight Infant Relative to PFOA Levels (Presented as Adjusted Odds Ratios)	466
2-36.	Risk of Small for Gestational Age Infant Relative to PFOA Levels (Presented as Adjusted Odds Ratios)	467
2-37.	Risk of Low Birth Weight Infant Relative to PFOS Levels (Presented as Adjusted Odds Ratios)	480
2-38.	Risk of Small for Gestational Age Infant Relative to PFOS Levels (Presented as Adjusted Odds Ratios)	481
2-39.	Diabetes Risk Relative to Serum PFOA Levels (Presented as Adjusted Ratios)	519
2-40.	Diabetes Risk Relative to Serum PFOS Levels (Presented as Adjusted Odds Ratios)	521
	Tissue Concentrations of <sup>14</sup> C in Male and Female Rats Following a Single Gavage Dose of [ <sup>14</sup> C]PFOA at 1, 5, or 25 mg/kg	567

PERFLUOROALKYLS xiii

3-2.	Tissue Concentrations of <sup>14</sup> C in Male (Upper Panel) and Female (Lower Panel) Rats Following Oral Doses of PFOA for 28 Days_at Doses of 3, 10, or 30 mg/kg/day	568
3-3.	Structure of PBPK Model of PFOA and PFOS in the Rat	605
3-4.	PBPK Model Structure for Simulating PFOA and PFOS Exposure During Gestation in the Rat (Dam, Left; Fetus, Right)	606
3-5.	PBPK Model Structure for Simulating PFOA/PFOS Exposure During Lactation in the Rat (Dam, Left; Pup, Right)	607
3-6.	Structure of PBPK Model for PFOA and PFOS in Monkeys and Humans	612
3-7.	Renal Resorption Pharmacokinetic Model of Gestation and Lactation used in the Analysis of CD-1 Mice	616
3-8.	Andersen et al. (2006) Pharmacokinetic Model with Oral Absorption	618
3-9.	Conceptual Representation of a Physiologically Based Pharmacokinetic Model for PFOS Exposure in Rats	621
3-10	. Structure of the PBPK Model for PFHxS in Rats and Humans	626
5-1.	Perfluorinated Compound (PFAS) Sites with ATSDR, State Health Department, U.S. Environmental Protection Agency, or Department of Defense Involvement	647
5-2.	Timeline of Important Events in the History of Polyfluorinated Compounds	653
5-3.	Geometric Mean Concentrations of PFOA, PFOS, PFHxS, PFNA, and PFDA in U.S. Residents from 1999 to 2016	721
6-1.	Summary of Existing Health Effects Studies on PFOA by Route and Endpoint	744
6-2.	Summary of Existing Health Effects Studies on PFOS by Route and Endpoint	745
6-3.	Summary of Existing Health Effects Studies on Other Perfluoroalkyls by Route and Endpoint	746

PERFLUOROALKYLS xiv

# LIST OF TABLES

1-1. Summary of Estimated Elimination Half-lives for Select Perfluoroalkyls	5
1-2. Overview of Minimal Risk Levels Derived for Perfluoroalkyls	17
1-3. Minimal Risk Levels (MRLs) for PFOA	20
1-4. Minimal Risk Levels (MRLs) for PFOS	20
1-5. Minimal Risk Levels (MRLs) for PFHxS	21
1-6. Minimal Risk Levels (MRLs) for PFNA	21
2-1. Levels of Significant Exposure to PFOA – Inhalation	33
2-2. Levels of Significant Exposure to Other Perfluoroalkyls – Inhalation	36
2-3. Levels of Significant Exposure to PFOA – Oral	38
2-4. Levels of Significant Exposure to PFOS – Oral	66
2-5. Levels of Significant Exposure to Other Perfluoroalkyls – Oral	88
2-6. Levels of Significant Exposure to PFOA – Dermal	113
2-7. Body Weight Outcomes in Humans	120
2-8. Summary of Cardiovascular Outcomes in Humans	146
2-9. Summary of Skeletal Outcomes in Humans	175
2-10. Summary of Liver Disease in Humans	183
2-11. Summary of Alterations in Serum Hepatic Enzymes and Bilirubin Levels in Humans	185
2-12. Summary of Serum Lipid Outcomes in Humans	191
2-13. Summary of Renal Outcomes in Humans	245
2-14. Summary of Uric Acid Outcomes in Humans	248
2-15. Summary of Thyroid Outcomes in Humans	265
2-16. Summary of Immunological Outcomes in Humans	295
2-17. Summary of Neurological Outcomes in Humans	353
2-18. Summary of Alterations in Reproductive Hormone Levels in Humans	360

PERFLUOROALKYLS xv

2-19	. Summary of Male Reproductive Outcomes in Humans	368
2-20	. Summary of Female Reproductive Outcomes in Humans	373
2-21	. Summary of Fertility Outcomes in Humans	380
2-22	. Summary of Pregnancy Outcomes in Humans	411
2-23	. Summary of Birth Outcomes in Humans	418
2-24	. Summary of Neurodevelopmental Outcomes in Humans	442
2-25	. Summary of Effects on the Development of the Reproductive System in Humans	458
2-26	. Summary of Outcomes Related to Diabetes in Humans	500
2-27	. Summary of Cancer Outcomes in Humans	524
2-28	. Transactivation of Human and Mouse PPAR $\alpha$ in Transfected Cos-1 Cells Exposed to Perfluoroalkyls (In Order of Decreasing $C_{20max}$ in the Mouse)	543
2-29	. Gene Expression Changes Induced by Perfluoroalkyls	545
2-30	. Hepatic Effects of Perfluoroalkyls in Wild-Type and PPARα-Null Mice Exposed Orally	548
3-1.	Tissue Distribution and Excretion of <sup>14</sup> C-Radioactivity from Both Sexes of Rats, Mice, Hamsters, and Rabbits Dosed with <sup>14</sup> C-Labeled APFO	569
3-2.	Serum (or Plasma) Concentrations in Matched Human Maternal-Infant Pairs	572
3-3.	Matched Serum (or Plasma) and Breast Milk Concentrations in Humans	576
3-4.	Excretory Clearance of PFOA and PFOS in Humans	580
3-5.	Summary Elimination Half-Lives for Perfluoroalkyls Estimated in Humans and Experimental Animals	
3-6.	Summary Systemic Clearance for Perfluoroalkyls Estimated in Experimental Animals	592
3-7.	Estimated and Assumed Pharmacokinetic Parameters for the Modified Andersen et al. (2006) Model for PFOA and PFOS	619
4-1.	Chemical Identity of Perfluoroalkyls	636
4-2.	Physical and Chemical Properties of Perfluoroalkyls	641

PERFLUOROALKYLS xvi

5-1.	Content (ppm) and Percent Reduction of PFOA, PFOA Homologues, or PFOA Precursors in Products from 2006 and 2013 U.S. Operations of Fluoropolymer/Fluorotelomer Companies	655
5-2.	U.S. Production Volume Ranges for Perfluoroalkyls (1986–2002) Reported under the EPA Inventory Update Rule	659
5-3.	Reported Emissions of PFOA, PFOA Homologues, or PFOA Precursors in Products from the 2006 and 2013 U.S. Operations of Fluoropolymer/Fluorotelomer Companies	661
5-4.	Global Historical PFCA Production and Emissions Estimates from 1951 to 2004	664
5-5.	Biological Monitoring of PFOA and PFOS in the Arctic	671
5-6.	Lowest Limit of Detection Based on Standards	677
5-7.	Summary of Environmental Levels of Perfluoroalkyls	678
5-8.	Perfluoroalkyls Levels in Water, Soil, and Air of National Priorities List (NPL) Sites	678
5-9.	Concentrations of Perfluoroalkyl in Outdoor Air	680
5-10	. Concentrations of Perfluoroalkyl in Indoor Air	684
5-11	. Concentrations of Perfluoroalkyls in Indoor Dust	685
5-12	. Concentrations of PFOA and PFOS in Surface Water (ng/L)	687
5-13	. Concentrations of Other Perfluoroalkyls in Surface Water	689
5-14	. Concentrations of Perfluoroalkyls in Surface Water and Groundwater at Fluorochemical Industrial Facilities	692
5-15	. Concentrations of PFOA and PFOS in Ocean Water	694
5-16	. Concentrations of Perfluoroalkyls in Soil and Sediment at Fluorochemical Industrial Facilities	699
5-17	. Summary of Perfluoroalkyls Detected in Soil, Sediment, Surface Water, and Groundwater at 10 Military Installations	702
5-18	. Detections of PFOA in 31 U.S. Food Items	704
5-19	. Detections of Perfluoroalkyls in Fish from U.S. Lakes and Rivers	705
5-20	. Fluorotelomer Alcohols Detected in Microwaveable Popcorn Bags Produced in China and the United States	710
5-21	. Concentrations of PFOA and PFOS in Human Serum Collected in the United States	714

PERFLUOROALKYLS xvii

5-22.	Concentrations of Other Perfluoroalkyls in Human Serum Collected in the United States	.717
5-23.	Percent Detection and Levels of PFOA and PFOS in Children's Serum	.723
5-24.	Percent Detection and Levels of Other Perfluoroalkyls in Children's Serum	.726
5-25.	Percent Detection and Levels of PFOA and PFOS in Umbilical Cord Blood and Breast Milk	.728
5-26.	Percent Detection and Levels of Other Perfluoroalkyls in Children's Umbilical Cord Blood and Breast Milk	.732
5-27.	Concentrations of PFOA, PFOS, and PFHxS in Human Serum for Occupationally Exposed Individuals	.736
5-28.	Blood Serum Levels for 69,030 Current and Former Residents of Six Water Districts in the Mid-Ohio Valley (2005–2006)	.742
7-1.	Regulations and Guidelines Applicable to Perfluoroalkyls	.758
7-2. \$	Select State Drinking Water Guidelines for Perfluoroalkyls	.760